

IN THE CLAIMS

1. (Original) A method for designing a computer program, comprising:
accessing a plurality of domain rules, each domain rule being invariant;
displaying a plurality of business rules, each business rule being variable;
selecting one or more business rules of the plurality of business rules in response to a
user selection;
customizing the one or more business rules;
associating the one or more business rules with a procedure;
associating the domain rules with the procedure;
displaying a model representing the procedure; and
generating a code corresponding to the procedure in order to design a computer
program.
2. (Original) The method of Claim 1, further comprising:
collecting the domain rules and the business rules;
allocating the domain rules and the business rules to a plurality of use cases;
realizing the use cases; and
assessing the domain rules and the business rules in accordance with the realization.
3. (Original) The method of Claim 1, further comprising:
checking a syntax of the code; and
providing a notification if a syntax error is detected.
4. (Original) The method of Claim 1, further comprising:
checking a logical consistency of the code; and
providing a notification if a logical inconsistency is detected.

5. (Original) The method of Claim 1, further comprising:
checking a compatibility between the model and the code; and
providing a notification if an inconsistency is detected.
6. (Original) The method of Claim 1, wherein the model is expressed according
to a common modeling language.

7. (Original) Logic for designing a computer program, the logic embodied in a medium and operable to:

access a plurality of domain rules, each domain rule being invariant;

display a plurality of business rules, each business rule being variable;

select one or more business rules of the plurality of business rules in response to a user selection;

customize the one or more business rules;

associate the one or more business rules with a procedure;

associate the domain rules with the procedure;

display a model representing the procedure; and

generate a code corresponding to the procedure in order to design a computer program.

8. (Original) The logic of Claim 7, further operable to:

collect the domain rules and the business rules;

allocate the domain rules and the business rules to a plurality of use cases;

realize the use cases; and

assess the domain rules and the business rules in accordance with the realization.

9. (Original) The logic of Claim 7, further operable to:

check a syntax of the code; and

provide a notification if a syntax error is detected.

10. (Original) The logic of Claim 7, further operable to:

check a logical consistency of the code; and

provide a notification if a logical inconsistency is detected.

11. (Original) The logic of Claim 7, further operable to:

check a compatibility between the model and the code; and

provide a notification if an inconsistency is detected.

12. (Original) The logic of Claim 7, wherein the model is expressed according to a common modeling language.

13. (Original) A system for designing a computer program, comprising:
a database operable to store a plurality of domain rules, each domain rule being invariant; and
a server coupled to the database and operable to:
display a plurality of business rules, each business rule being variable;
select one or more business rules of the plurality of business rules in response to a user selection;
customize the one or more business rules;
associate the one or more business rules with a procedure;
associate the domain rules with the procedure;
display a model representing the procedure; and
generate a code corresponding to the procedure in order to design a computer program.

14. (Original) The system of Claim 13, the server further operable to:
collect the domain rules and the business rules;
allocate the domain rules and the business rules to a plurality of use cases;
realize the use cases; and
assess the domain rules and the business rules in accordance with the realization.

15. (Original) The system of Claim 13, the server further operable to:
check a syntax of the code; and
provide a notification if a syntax error is detected.

16. (Original) The system of Claim 13, the server further operable to:
check a logical consistency of the code; and
provide a notification if a logical inconsistency is detected.

17. (Original) The system of Claim 13, the server further operable to:
check a compatibility between the model and the code; and
provide a notification if an inconsistency is detected.

18. (Original) The system of Claim 13, wherein the model is expressed according
to a common modeling language.

19. (Original) A system for designing a computer program, comprising:
means for accessing a plurality of domain rules, each domain rule being invariant;
means for displaying a plurality of business rules, each business rule being variable;
means for selecting one or more business rules of the plurality of business rules in
response to a user selection;
means for customizing the one or more business rules;
means for associating the one or more business rules with a procedure;
means for associating the domain rules with the procedure;
means for displaying a model representing the procedure; and
means for generating a code corresponding to the procedure in order to design a
computer program.

20. (Original) A method for designing a computer program, comprising:
collecting a plurality of domain rules, allocating the domain rules to a plurality of use cases, realizing the use cases, assessing the domain rules in accordance with the realization, and accessing the domain rules, each domain rule being invariant;
displaying a plurality of business rules, each business rule being variable;
selecting one or more business rules of the plurality of business rules in response to a user selection;
customizing the one or more business rules;
associating the one or more business rules with a procedure;
associating the domain rules with the procedure;
displaying a model representing the procedure, the model expressed according to a common modeling language;
generating a code corresponding to the procedure in order to design a computer program;
checking a syntax of the code, and providing a notification if a syntax error is detected;
checking a logical consistency of the code, and providing a notification if a logical inconsistency is detected; and
checking a compatibility between the model and the code, and providing a notification if an inconsistency is detected.

21. (Original) A method for managing rules for designing a computer program, comprising:

- accessing a plurality of rules;
- analyzing the rules to separate a plurality of domain rules from a plurality of business rules, each domain rule being invariant, each business rule being variable;
- storing the business rules; and
- providing a business rule from the stored business rules in response to a request for the business rule.

22. (Original) The method of Claim 21, further comprising:

- customizing the provided business rule;
- associating the customized business rule with a procedure; and
- generating a code corresponding to the procedure in order to design a computer program.

23. (Original) The method of Claim 21, further comprising:

- associating the domain rules with a procedure; and
- generating a code corresponding to the procedure in order to design a computer program.

24. (Original) The method of Claim 21, further comprising:

- allocating the domain rules and the business rules to a plurality of use cases;
- realizing the use cases; and
- assessing the domain rules and the business rules in accordance with the realization.

25. (Original) A system for managing rules for designing a computer program, comprising:

a database operable to store a plurality of rules; and

a server coupled to the database and operable to:

analyze the rules to separate a plurality of domain rules from a plurality of business rules, each domain rule being invariant, each business rule being variable;

store the business rules; and

provide a business rule from the stored business rules in response to a request for the business rule.

26. (Original) The system of Claim 25, wherein the server is further operable to: customize the provided business rule;

associate the customized business rule with a procedure; and

generate a code corresponding to the procedure in order to design a computer program.

27. (Original) The system of Claim 25, wherein the server is further operable to: associate the domain rules with a procedure; and

generate a code corresponding to the procedure in order to design a computer program.

28. (Original) The system of Claim 25, wherein the server is further operable to: allocate the domain rules and the business rules to a plurality of use cases;

realize the use cases; and

assess the domain rules and the business rules in accordance with the realization.

29. (Original) Logic for managing rules for designing a computer program, the logic embodied in a medium and operable to:

- access a plurality of rules;
- analyze the rules to separate a plurality of domain rules from a plurality of business rules, each domain rule being invariant, each business rule being variable;
- store the business rules; and
- provide a business rule from the stored business rules in response to a request for the business rule.

30. (Original) The logic of Claim 29, further operable to:

- customize the provided business rule;
- associate the customized business rule with a procedure; and
- generate a code corresponding to the procedure in order to design a computer program.

31. (Original) The logic of Claim 29, further operable to:

- associate the domain rules with a procedure; and
- generate a code corresponding to the procedure in order to design a computer program.

32. (Original) The logic of Claim 29, further operable to:

- allocate the domain rules and the business rules to a plurality of use cases;
- realize the use cases; and
- assess the domain rules and the business rules in accordance with the realization.

33. (Original) A system for managing rules for designing a computer program, comprising:

- means for accessing a plurality of rules;
- means for analyzing the rules to separate a plurality of domain rules from a plurality of business rules, each domain rule being invariant, each business rule being variable;
- means for storing the business rules; and
- means for providing a business rule from the stored business rules in response to a request for the business rule.

34. (Original) A method for managing rules for designing a computer program, comprising:

- accessing a plurality of rules;
- analyzing the rules to separate a plurality of domain rules from a plurality of business rules, each domain rule being invariant, each business rule being variable;
- allocating the domain rules and the business rules to a plurality of use cases;
- realizing the use cases;
- assessing the domain rules and the business rules in accordance with the realization;
- storing the business rules;
- providing a business rule from the stored business rules in response to a request for the business rule;
- customizing the provided business rule;
- associating the customized business rule with a procedure;
- associating the domain rules with the procedure; and
- generating a code corresponding to the procedure in order to design a computer program.

35. (New) A method for initiating display of a view of a computer program design, comprising:

- accessing a plurality of artifacts of a computer program design, each artifact of the plurality of artifacts expressed using a common modeling language;
- receiving a selection of a first view from a plurality of views, each view of the plurality of views associated with a display of a subset of the plurality of artifacts;
- organizing a first subset of artifacts for display according to the first view, the first subset comprising a particular artifact;
- initiating display of the first subset of artifacts according to the first view;
- receiving a selection of a second view from the plurality of views;
- organizing a second subset of artifacts for display according to the second view, the second subset comprising the particular artifact; and
- initiating display of the second subset of artifacts according to the second view.

36. (New) The method of Claim 35, wherein an artifact of the plurality of artifacts comprises a requirement of the computer program design.

37. (New) The method of Claim 35, wherein:

- receiving the selection of the first view further comprises receiving a selection of a high-level artifact view; and
- organizing the first subset of artifacts further comprises organizing a plurality of high-level artifacts of the plurality of artifacts according to the high-level artifact view.

38. (New) The method of Claim 35, wherein:

- the first view comprises a high-level artifact view, the high-level artifact view comprising a structural view; and
- the second view comprises the structural view.

39. (New) The method of Claim 35, wherein:
the first view comprises a high-level artifact view, the high-level artifact view comprising a behavioral view; and
the second view comprises the behavioral view.

40. (New) The method of Claim 35, wherein:
the first view comprises a structural view, the structural view comprising an active class; and
the second view comprises a behavioral view, the behavioral view comprising the active class.

41. (New) A system for initiating display of a view of a computer program design, comprising:

a database operable to store a plurality of artifacts of a computer program design, each artifact of the plurality of artifacts expressed using a common modeling language; and
a server coupled to the database and operable to:

receive a selection of a first view from a plurality of views, each view of the plurality of views associated with a display of a subset of the plurality of artifacts;

organize a first subset of artifacts for display according to the first view, the first subset comprising a particular artifact;

initiate display of the first subset of artifacts according to the first view;

receive a selection of a second view from the plurality of views;

organize a second subset of artifacts for display according to the second view, the second subset comprising the particular artifact; and

initiate display of the second subset of artifacts according to the second view.

42. (New) The system of Claim 41, wherein an artifact of the plurality of artifacts comprises a requirement of the computer program design.

43. (New) The system of Claim 41, wherein the server is further operable to:
receive the selection of the first view by receiving a selection of a high-level artifact view; and

organize the first subset of artifacts by organizing a plurality of high-level artifacts of the plurality of artifacts according to the high-level artifact view.

44. (New) The system of Claim 41, wherein:
the first view comprises a high-level artifact view, the high-level artifact view comprising a structural view; and
the second view comprises the structural view.

45. (New) The system of Claim 41, wherein:
the first view comprises a high-level artifact view, the high-level artifact view comprising a behavioral view; and
the second view comprises the behavioral view.

46. (New) The system of Claim 41, wherein:
the first view comprises a structural view, the structural view comprising an active class; and
the second view comprises a behavioral view, the behavioral view comprising the active class.

47. (New) Logic for initiating display of a view of a computer program design, the logic embodied in a medium and operable to:

access a plurality of artifacts of a computer program design, each artifact of the plurality of artifacts expressed using a common modeling language;

receive a selection of a first view from a plurality of views, each view of the plurality of views associated with a display of a subset of the plurality of artifacts;

organize a first subset of artifacts for display according to the first view, the first subset comprising a particular artifact;

initiate display of the first subset of artifacts according to the first view;

receive a selection of a second view from the plurality of views;

organize a second subset of artifacts for display according to the second view, the second subset comprising the particular artifact; and

initiate display of the second subset of artifacts according to the second view.

48. (New) The logic of Claim 47, wherein an artifact of the plurality of artifacts comprises a requirement of the computer program design.

49. (New) The logic of Claim 47, further operable to:

receive the selection of the first view by receiving a selection of a high-level artifact view; and

organize the first subset of artifacts by organizing a plurality of high-level artifacts of the plurality of artifacts according to the high-level artifact view.

50. (New) The logic of Claim 47, wherein:

the first view comprises a high-level artifact view, the high-level artifact view comprising a structural view; and

the second view comprises the structural view.

51. (New) The logic of Claim 47, wherein:
the first view comprises a high-level artifact view, the high-level artifact view comprising a behavioral view; and
the second view comprises the behavioral view.

52. (New) The logic of Claim 47, wherein:
the first view comprises a structural view, the structural view comprising an active class; and
the second view comprises a behavioral view, the behavioral view comprising the active class.

53. (New) A system for initiating display of a view of a computer program design, comprising:

means for accessing a plurality of artifacts of a computer program design, each artifact of the plurality of artifacts expressed using a common modeling language;

means for receiving a selection of a first view from a plurality of views, each view of the plurality of views associated with a display of a subset of the plurality of artifacts;

means for organizing a first subset of artifacts for display according to the first view, the first subset comprising a particular artifact;

means for initiating display of the first subset of artifacts according to the first view;

means for receiving a selection of a second view from the plurality of views;

means for organizing a second subset of artifacts for display according to the second view, the second subset comprising the particular artifact; and

means for initiating display of the second subset of artifacts according to the second view.

54. (New) A method for initiating display of a view of a computer program design, comprising:

- accessing a plurality of artifacts of a computer program design, each artifact of the plurality of artifacts expressed using a common modeling language, an artifact of the plurality of artifacts comprising a requirement of the computer program design;

- receiving a selection of a first view from a plurality of views, each view of the plurality of views associated with a display of a subset of the plurality of artifacts, the first view comprising a high-level artifact view, the high-level artifact view comprising a structural view and a behavioral view;

- organizing a first subset of artifacts for display according to the first view, the first subset comprising a particular artifact;

- initiating display of the first subset of artifacts according to the first view;

- receiving a selection of a second view from the plurality of views, the second view comprising at least one of the structural view and the behavioral view;

- organizing a second subset of artifacts for display according to the second view, the second subset comprising the particular artifact; and

- initiating display of the second subset of artifacts according to the second view.

CONCLUSION

Early and favorable acceptance of this preliminary amendment is respectfully requested.

With the addition of Claims 35-54, an additional twenty (20) claims are added, including (5) five additional independent claims, with an additional fee of \$790.00. A check in the amount of \$790.00 is enclosed. The Commissioner is hereby authorized to charge any other fees or credit any overpayment to Deposit Account No. 02-0384.

Respectfully submitted,
BAKER BOTTS L.L.P.
Attorneys for Applicant



Keiko Ichiye
Reg. No. 45,460

Correspondence Address:
2001 Ross Avenue
Suite 600
Dallas, Texas 75201-2980
Telephone 214.953.6494
Facsimile 214.661.4494

Date: June 7, 2004

Customer Number: **05073**